

For more information:



Local Pollution Control

Village of North Fond du Lac
Department of Public Works

(920) 929-3765

Spill Response

Dial 911

-or-

Wisconsin DNR
24-hour toll free hotline
1-800-943-0003

Mitch Vis

Project

Manager 929-3765

Fax 929-3964

Website: www.nfdl.org

Email: mvis@nfdl.org

Mailing Address:

Village of North Fond du Lac

Mitch Vis

16 Garfield St

North Fond du Lac, WI 54974

State of Wisconsin


Department of Natural Resources:

[http://www.dnr.state.wi.us/RUNOFF/
stormwater.htm](http://www.dnr.state.wi.us/RUNOFF/stormwater.htm)

EPA Stormwater Phase II Final Rule:

[http://www.epa.gov/npdes/pubs/fact
2-5.pdf](http://www.epa.gov/npdes/pubs/fact2-5.pdf)

CONSTRUCTION SITE EROSION CONTROL



**RECOMMENDED METHODS
FOR STORM WATER
PROTECTION**

Storm Water Pollution Prevention: It's Up To Us

*In the Village of North Fond du Lac, storm drains flow directly to local creeks and rivers with **NO treatment**. Degradation of storm water is a serious problem for wildlife dependent on our waterways and for the people who live near streams or use them for recreation. Some common sources of contaminants in storm runoff include spilled oil, fuel, and fluids from vehicles and heavy equipment; construction debris; landscaping runoff containing pesticides or weed killers; and materials such as used motor oil, antifreeze, and paint products that people pour or spill into a street or storm drain.*

The Village of North Fond du Lac has developed a Storm Water Management Program to educate local residents and businesses and to improve the quality of storm water runoff. We hope you will join us, by using the recommended methods (referred to as Best Management Practices) described in this pamphlet.

Who Should Use this Pamphlet?

- Home builders**
- Developers**
- General contractors**
- Earthwork equipment operators**
- Site supervisors**

Storm Water Pollution from Construction Activities

Soil excavation and grading operations uncover and loosen large amounts of soil that can flow or blow into storm drains if handled improperly. These activities can be a major source of sediment and contaminants in storm water

What Can You Do?

General Practices

- Schedule excavation and grading work for dry weather.*
- Perform major equipment repairs away from the job site.*
- When refueling or when vehicle/equipment maintenance must be done on site, designate a location away from storm drains or drainage ways.*
- Do not use diesel oil to lubricate equipment or parts.*

What Can You Do?

During Construction

- Remove existing vegetation only when absolutely necessary.*
- Consider planting temporary vegetation for erosion control on slopes or where construction is not immediately planned.*
- Protect downslope drainage courses, streams and storm drains with hay bales or temporary drainage swales.*
- Use check dams or ditches to divert runoff around excavations.*
- Cover stockpiles and excavated soil with secured tarps or plastic sheeting.*

After Construction

- Revegetate and stabilize denuded areas as soon as possible.*
- Remove dirt and debris from sidewalks, gutters and drainage structures.*
- Remove or stabilize stockpiled material.*